

PFIZER-BIONTECH COVID-19

MODERNA COVID-19

NUVAXOVID COVID-19

Full name (first name and surname) _____

Date of birth _____ Date of the first dose _____

Compared to the first dose medical history sheet, did something change (pregnancy, breastfeeding, SARS-Cov-2 test results, new therapies, etc.) YES NO

(If YES, please describe): _____

After the first dose, did you have a local reaction where the vaccine was administered (itch, erythema, oedema, etc.). YES NO If YES,

Please describe: _____

Amount of time between the administration and the reaction: _____

IN CASE OF AN ADVERSE REACTION, PLEASE FILL IN THE FOLLOWING SECTIONS

Previous adverse reactions to vaccines: YES NO If YES,

Vaccine that caused the adverse reaction: _____

Kind of reaction _____ Date _____

Previous serious allergic reactions (anaphylaxis) due to unknown causes: YES NO If YES,

Kind of reaction _____ Date _____

Previous adverse reactions to drugs: YES NO If YES,

• Name of the drug _____ Kind of reaction _____

• Name of the drug _____ Kind of reaction _____

• Name of the drug _____ Kind of reaction _____

Do you suffer from systemic mastocytosis: YES NO

Do you suffer from “uncontrolled” bronchial asthma, which requires a frequent use of a Salbutamol inhaler (> 2-3 times/week) despite the background therapy: YES NO

Date and place: ___/___/_____, _____

Signature of the healthcare professional/patient: _____

CONCLUSIONS BY THE HEALTHCARE PROFESSIONAL WHO EXAMINES THE MEDICAL HISTORY:

The patient can be vaccinated without further precautions The patient can be vaccinated, but should be observed for 30 minutes in a hospital setting

Signature of the healthcare professional: _____

In case of a (wide) local reaction after the first dose, the patient should wait up to 30 minutes after the administration without further precautions (document SIAAIC/AIITO, 2021); in case of an alleged generalized allergic reaction, the patient must be transferred to an allergy protective environment.

In the case of people from health service structures, the medical history sheet for the second dose can be filled in by the healthcare professional who is in contact with the patient in the days following the first administration.